

Product Name :
Double Water Distiller

Product Code :
NLAB-ENGINEERINGLB36007



Description :

Double Water Distiller

Technical Specification :

- The Double Water Distiller manufactured by us is highly acclaimed for being sturdy and durable.
- These equipments are also known for their efficient service life.
- Manufactured using quality-approved components, these are used for water distillation purposes in chemical engineering laboratories.
- These are made available to clients within the specified time period at affordable costs.
- These are easy to install. Being robustly designed, these do not require much maintenance too.
- We are also involved in the export of these distillers.
- The distillation provides double distilled water.
- The high quality borosilicate glassware coupled with silica heater gives progeny free distillate of highest purity.

- The optimization of cooling water volume is controlled by a cooling water flow meter; in addition to this the equipment is fitted with PTS which maintains sufficient water to the boiler.

Features:

- Easy to use, dual fail safe operation Simple to clean.
- No metallic contact Replaceable Silica sheathed heaters.
- All threaded connector.
- Technical specifications:
 - Output 1.5 litres/hr. 4.0 litres/hr Conductivity, μScm - 0.8-1.2
 - 0.8-1.2 Temperature of distillate 30 - 40°C 30 -40°C Pyrogen content
 - Pyrogen free Pyrogen free Cooling.
- Water supply 60liters/hr (approx) 90liters/hr (approx) Electricity supply 220 - 240V, 50-60Hz, 220 - 240V single phase Power requirement 3.0kW 6kW.
- Features: Robust design Damage-resistant Affordable Chemical Engineering Laboratory lab equipment manufacturers, exporters and Chemical Engineering Laboratory Lab suppliers.

Naugralabequipments

Website: www.naugralabequipments.com, **Email:** sales@naugralabequipments.com

Address: 6148/6, Guru Nanak Marg, Ambala Cantt, Haryana, India. **Phone:** +91-9896600003