

Product Name :
Centreless Grinders

Product Code :
NLAB-MACHINELABWK22001



Description :

Centreless Grinders

Technical Specification :

75 Maximum Grinding Diam

Min. Minimum Grinding Diam

Max. included angle for taper
(Without using forming attachm

Speed of grinding wheel R.

Number of speeds of Control wheel

350 mm Diameter grinding wheel

Maximum Width grinding wheel

Diameter of hole grinding wheel

230 mm Diameter control wheel

Maximum width control wheel

Diameter of hole grinding wheel

5 H.P.P. of motor for wheel head

15 H. P .

3/4 H.P. of motor for control wheel

1440 Speed of motors R

30" X 40" or 36" X 35" machine


1600 Kgs. 1600 Kgs weight

Hydraulic Centreless Grinders

STANDARD ACCESSORIES :

- Wheel Balancing Machine
- Wheel Regulating Wheel
- Work Rest Blade
- Magnatic Coolant Separator
- Grinding Wheel Pulley for Regulating Wheel
- Grinding Wheel Pulley for Regulating Wheel
- Grinding Wheel & Regulating Wheel Nut
Spanner
- Auto Ejector/Lifter for infeed grinding
- Work Rest Blade for Through Grinding
- Bimetallic Bush Bearing for Grinding Wheel Head
- Splash Guards
- Bar Feeder for long Bars Grinding
- Allen Keys and Spanners Set
- Vibratory Feeder
- Hand Pump Lubrication for slides
- Automatic Feeder for through-feed Grinding
- Machine Lam
- Anti-Vibration Pads

- Automatic Balancing of Grinding Wheel



Grinding Capacity

~~515~~mm Diameter

~~750~~mm

Grinding Wheel

~~500~~mm Diameter

200 mm Width

~~300~~ mm Bore

~~1300~~ R.P.M.

~~2000~~ R.P.M.

Regulating Wheel

~~200~~mm Diameter

200 mm Width

~~75~~mm Bore

~~2000~~ R.P.M.

~~100~~ R.P.M.

Power requirements

~~85/700~~ Wheel
Motor

~~25/1100~~ Wheel
Motor

Hydraulic ~~150/100~~ Motor

Coolant ~~100/100~~ Motor

Lubrication ~~100/100~~ Pump

Dimensions & Weight

~~2020~~ Length

~~800~~ Width

~~1650~~ Height

Net Weight ~~1600~~ Kgs.

Address: 6148/6, Guru Nanak Marg, Ambala Cantt, Haryana, India. **Phone:** +91-9896600003

Naugralabequipments

Website: www.naugralabequipments.com, **Email:** sales@naugralabequipments.com