Phone: +91-9896600003

Email: sales@naugralabequipments.com

#### **Product Name:**

**CNC Milling Trainer Deluxe** 

#### **Product Code:**

NLAB-MECHANICALAB150005



## **Description:**

**CNC Milling Trainer Deluxe** 

### **Technical Specification:**

The Deluxe LabTek-PT-10005 metric comes equipped with all standard features upgraded to include a laser engraved 12" (305mm) solid aluminum base, laser engraved scales on the "X" axis table, 2" (51mm) hand wheels on the "X" and "Y" axes, a 2- 1/2" (63mm) adjustable "zero" handwheel with ball bearing thrust on the "Z" axis, a mill head stock spacer to provide more throat distance, and drill chuck and drawbar.

### Specification:

හිම්ම"c(මමයික re) table to spindle :

# ጀኬሜቫሬ(5(0vinthron)) theadstock spacer):

Phone: +91-9896600003

Email: sales@naugralabequipments.com

Trituluale(ปมฺith510ëa(69torukn)spacer block):)
88 (2/2/20" (Annis):
5 rao'e (,1'27" ranis):
65 (2:255'e) (,1'525' (Auxin) :
Holle"t(1rounghn)spindle:
S√paintoBeTnPose thread:
<b>多piMddest</b> eaper:
Blandwheel graduations:
ነሃ፵ ርቲћ (ፈ√@rahlm)
D&5th(4√9radh)
<b>ଅଥ</b> ାପୁ <b>5</b> 60v <b>ara)</b> । :
卫 <b>河</b> 与达·\$沧·通·通·0"(70x330mm)
원하 <b>Td Statuts</b> provision:
36 lb. (16.3 kg) IMovements in addition to

Phone: +91-9896600003

Email: sales@naugralabequipments.com

Shipping weight:
Headstock rotation 90° left/right
Movements in addition to X-, Y- and Z-axes :
90 Volt DC with electronic speed control Motor :
220VAC, 50/60 Hz
input:
70-2800 RPM continuously variable by electronic speed control Spindle speed range :

# Naugralabequipments

**Website:** www.naugralabequipments.com, **Email:** sales@naugralabequipments.com **Address:** 6148/6, Guru Nanak Marg,Ambala Cantt,Haryana,India. **Phone:** +91-9896600003