Product Name : Heat Pump for Cooling and Heating Operation

Product Code : DM391



Description :

Heat Pump for Cooling and Heating Operation

Technical Specification :

Heat Pump For Cooling And Heating Operation Different operating modes selectable via solenoid valves Refrigeration circuit with compressor, condenser (heat exchanger with fan), 2 evaporators with fan (refrigeration and freezing stage) Glycol-water circuit with tank, pump and coaxial coil heat exchanger Coaxial coil heat exchanger and heat exchanger with fan can both be used as condenser or evaporator in the refrigeration circuit 1 thermostatic expansion valve each for all heat exchangers and evaporators 1 additional evaporation pressure controller and 1 capillary tube for the refrigeration stage evaporator Displays for temperature, pressure, flow rate and power consumption of the compressor Refrigerant mass flow rate precisely calculated via software Software for data acquisition via USB under windows 10 It has technical data as shown below: Compressor Refrigeration capacity: 1561W at 5/40°C Power consumption: 759W at 5/40°C Heat exchanger with fan Transfer area: 1,25m2 Volumetric air flow rate: 650m3/h Evaporators with fan

Refrigeration stage transfer area: 1,21m2, volumetric air flow rate: 80m3/h Freezing stage transfer area: 3,62m2, volumetric air flow rate: 125m3/h Refrigerant: Environmental friendly and easily available Measuring ranges Temperature: $11x -50\hat{a} \in 150\hat{A}^{\circ}C$ Pressure: $2x -1\hat{a} \in 15bar$, $1x -1\hat{a} \in 124bar$ Flow rate: calculated 2,5 $\hat{a} \in 165g/s$ Power: $0\hat{a} \in 1150W$ 230V, 50Hz, 1 phase.

Naugralabequipments

Website: www.naugralabequipments.com, Email: sales@naugralabequipments.com Address: 6148/6, Guru Nanak Marg,Ambala Cantt,Haryana,India. Phone: +91-9896600003