

**Product Name :**  
Level, Flow and Temperature Process Control

**Product Code :**  
CE748



**Description :**

Level, Flow and Temperature Process Control

**Technical Specification :**

Level, Flow & Temperature Process Control

The combined Level, Flow & Temperature Process Control System is self-contained and has all of the features of the individual Level & Flow and Temperature systems plus remote set-point control. Remote set-point control can be affected with the Level, Flow & Temperature Process Control System by using two process controllers. The 4-20mA analogue remote set-point input allows various forms of cascade control to be implemented between linked or interactive control loops. The process set-point can be local and remote or dual, selected from the front panel, or in response to a logic input. When dual setpoint is selected the function can be ratio or bias action. A Programmable Logic Controller (PLC) is also available separately. It can be used with the Process Interface to provide an alternative control method with on/off elements to the standard Process Controller (included).

Curriculum Coverage

- Flow & level familiarisation & calibration
- Temperature familiarisation & calibration
- Interface familiarisation & calibration
- Controller familiarisation & calibration
- Float level transmitter
- Pulse flow transmitter
- On-Off control
- Temperature process control
- Complex control loops

Dual loop (process) control - using Level, Flow & Temperature Control Trainers  
Remote set-point control  
Set-point ratio control (dual loop)  
Cascade control (temperature & flow)  
Feedforward Control

**Features:**

Study of P, PI and PID control of level & flow  
Tuning PID controllers  
Advanced process control  
Study of P, PI and PID control of temperature & flow  
Manual flow control  
Comprehensive experiment manual

**Technical data:**

For operation with 110 V or 120 V 50/60 Hz supplies  
3 phase supply is required so nominal 220 volts are available across 2 phases  
Dimensions (net): overall width 2010 mm x depth 400 mm x height 710 mm  
Weight: gross 142 kgs, net 97 kgs

## Naugralabequipments

**Website:** www.naugralabequipments.com, **Email:** sales@naugralabequipments.com

**Address:** 6148/6, Guru Nanak Marg, Ambala Cantt, Haryana, India. **Phone:** +91-9896600003