Phone: +91-9896600003

Email: sales@naugralabequipments.com

Product Name:

RFID Trainer

Product Code:

NLAB-ELECTRONICSAB210005



Description:

RFID Trainer

Technical Specification:

RFID TRAINER is an excellent learning/ training system for understanding basics, working and application of RFID (Radio Frequency Identification). It comprises of Contactless RFID Reader, 5 Mifare contactless cards, RFID Applications/Demo/Video Software. System works on 13.56 MHz and ISO 14443A read and write support. RFID is an automatic identification technique, storing and retrieving data using RFID tags or transponders. RFID tags (Active or Passive) is stuck into a product, animal or person for identifying using radiowaves. Most RFID tags have 2 parts: Integrated circuit for storing, processing information, modulating/ demodulating a RF signal and Antenna for receiving/ transmission. Applications for RFID includes transport payments, product tracking, animal identification, inventory systems, human implants, libraries etc.

Features:

Software for understanding/working on Applications, Demo, Product Videos

Contactless RFID Reader at 13.56 MHz with 6cm range

Can be used for Active RFID tags (Optional)

Phone: +91-9896600003

Email: sales@naugralabequipments.com

Read/Write ISO 14443A protocol Mifare 1K memory RFID cards

16 x 2 LCD Display with 89C51 Micro controller

On board Breadboard with 840 tie points for designing other applications

High Speed Transactions and flexible configurations

USB to Serial interface for RFID Reader

Parallel Interface for applications

Weight: 6 Kg. (Approx.)

Dimension: W 412 x H 150 x D310

Specifications:

Operating Frequency: 13.56 Mhz

Protocol: ISO 14443A and Mifare 1K Tags

Antenna/ Modulation: In built Antenna with ASK modulation

Software:

Software for RFID Contact less card reader with 7 applications

Screen Shot Videos for 7 Applications in steps

Live Video Demo for the complete RFID training system

RFID Introduction

Operating Range: Contact less 6 cm

Voltage & Current: 5V 80mA for Reader; 5V 200mA for LCD; 12V1.5A for stepper motor

Operating Temperature: -5 to 75 oC

Applications

1. Hardware Based Experiments

RFID Seven Segment Interface (Counter).

Phone: +91-9896600003

Email: sales@naugralabequipments.com

RFID Stepper Motor (Two) Interface.(With Two Stepper Motor)
RFID Logic Switch /LED Interface.
RFID LCD Interface.
RFID Breadboard Interface.
2. Software Based Experiments
Alarm
Database
Calculator
Read/Write Block
Accessories:
Mifare RFID cards5
Software CD4
Mains Cord1
25 Pin Parallel Male-Female Cable1
9 Pin Parallel Male-Female Cable1
Instruction Manual1
Patch Cord 2mm to 1mm 35cm Red & Black5 each.
Patch Cord 2mm to 1mm 15cm Red & Black5 each.

Naugralabequipments

Website: www.naugralabequipments.com, Email: sales@naugralabequipments.com
Address: 6148/6, Guru Nanak Marg,Ambala Cantt,Haryana,India. Phone: +91-9896600003