

**Product Name :**  
TILTING FLUME (6 Meter)

**Product Code :**  
NLAB-ENGINEERINGLB16013



**Description :**

TILTING FLUME (6 Meter)

**Technical Specification :**

**DESCRIPTION:-**

The Tilting flume consists of a channel of size as in specifications. At the inlet a flow steadying section is provided so that there will be fewer disturbances at the test section. The gates provided at the upstream & downstream of the test section help to regulate the depth of flow. Depth measurements can be achieved with the help of a hook or point gauge mounted on a trolley which gives longitudinal and transverse movement. The slope of the bed can be adjusted to give positive or negative slopes.

**RANGE OF EXPERIMENT:-**

- Study of open channel flow with slope
- Study of specific energy curve

- Study of hydraulic jump
- Study of Nappe profiles over a sharp crested weir
- Calibration of sharp crested, Broad crested and ogee weir
- Calibration of a Venturiflume
- Study of flow under the sluice gate

**SPECIFICATION:-**

- A hydraulic flume of c/s 200x300 mm & 6000 mm length with transparent window on either sides of 1800 mm length.
- Sliding gates one at upstream and other at the downstream side.
- Screw jack for change of the slope of the flume.
- A Sump tank of sufficient capacity.
- Supply tank with waves damping arrangement.
- A 3 H.P. centrifugal monoblock pump.
- An Orifice meter with manometer to measure the discharge. Inlet/throat dimensions: 50/25 mm respectively.
- Trolley with point gauge for level measurement.
- Models supplied:
  - Sharp crested weir (crest length 200 mm)
  - Broad crested weir
  - Ogee weir or spillway.
  - Venturi flume

**SERVICE REQUIRED:-**

- Suitable Water supply.
- Suitable floor space to mount apparatus.
- 15 amps Single Phase Electrical Connection.

## Naugralabequipments

**Website:** www.naugralabequipments.com, **Email:** sales@naugralabequipments.com

**Address:** 6148/6, Guru Nanak Marg, Ambala Cantt, Haryana, India. **Phone:** +91-9896600003