

Product Name :
Upright Drilling Machine

Product Code :
NLAB-VOCATIONALTVET20018



Description :

Upright Drilling Machine

Technical Specification :

Maximum drilling diameter: 25mm (1 inch)

Maximum spindle travel: 140mm (5 1/2 inches)

Taper of spindle bore: morse number 3

Distance from the center of spindle to the surface of the vertical column: 315mm (12 3/8 inches)

Flow capacity: 12L/min

Maximum distance from spindle nose to the surface of worktable: 660mm (26 inches)

Dimensions of working table: 315 x 415mm (12 3/8 x 16 3/8 inches)

Dimensions of effective working area of base plate: 475 x 400mm (18 11/16 x 15 3/4 inches)

Spindle speeds range

50Hz: 100 to 2,900rpm

60Hz: 120 or 3480rpm

Motor power: 0.75 or 0.55kW

Overall dimensions: 788 x 560 x 1,820mm (31 x 22 3/8 x 72 inches), 788 x 560 x 1,835mm (31 x 22 x 72.25 inches)

Net weight: 440/504 x 430/540kg

3-phase cooling pump

Maximum distance from spindle nose to base plate: 480mm (18 7/8 inches)

Dimensions of effective working area of worktable: 1,200 mm (47 1/4 inches)

Power: 0.04kW

Specifications: 380V, 50Hz

Naugralabequipments

Website: www.naugralabequipments.com, **Email:** sales@naugralabequipments.com

Address: 6148/6, Guru Nanak Marg, Ambala Cantt, Haryana, India. **Phone:** +91-9896600003